

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in ETR [East Tennessee Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	24	75	a	12	80	a	36	77	a
Black, not Hispanic	*	*	a	*	*	a	*	*	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	*	*	a	0	0	a	*	*	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	32	100	a	15	100	a	47	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	*
25-34	11	34	0	0	11	23
35-44	13	41	*	*	16	34
45-54	*	*	*	*	11	23
55-64	*	*	*	33	6	13
>=65	0	0	*	*	*	*
Total	32	100	15	100	47	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	24	75	a	a	24	51
Injection drug use (IDU)	0	0	*	*	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	0	0	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	8	25	*	*	*	*
Total	32	100	15	100	47	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	20	56	*	*	0	0	0	0	0	0	0	0	24	51
Injection drug use (IDU)	*	*	0	0	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	8	22	*	*	*	*	0	0	0	0	0	0	*	*
Total	36	100	*	*	*	*	0	0	0	0	0	0	47	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	32	100	15	100	47	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	32	100	15	100	47	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	11	79	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	*	*	a	0	0	a	*	*	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	*	a	*	*	a	14	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	32	554
Females	*	*	*	*	15	112
Total	30	33	34	42	47	666

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	26	30	29	34	36	572
Black, not Hispanic	*	*	*	*	*	74
Hispanic	0	*	*	*	*	19
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	30	33	34	42	47	666

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	21	25	26	27	24	478
White, not Hispanic: Female	*	*	*	7	12	94
Black, not Hispanic: Male	*	*	*	*	*	59
Black, not Hispanic: Female	*	0	*	*	*	15
Hispanic: Male	0	*	*	*	*	16
Hispanic: Female	0	0	0	0	*	3
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	30	33	34	42	47	666

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	*	*	0	11
13-14	0	0	0	0	0	0
15-24	*	0	*	*	*	63
25-34	6	11	12	9	11	257
35-44	15	13	13	21	16	222
45-54	*	*	*	7	11	85
55-64	*	*	0	*	6	26
>=65	0	0	0	0	*	2
Total	30	33	34	42	47	666

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	20	20	15	24	371
Injection drug use (IDU)	*	*	*	10	*	81
Male-to-male sex and IDU	0	*	*	*	0	28
Heterosexual contact	6	*	*	6	*	96
Mother with/at risk for HIV	0	0	0	*	0	8
Other/unknown	*	*	6	7	*	82
Total	30	33	34	42	47	666

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	16	173
Females	*	*	*	*	6	46
Total	14	16	16	21	22	219

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	13	14	14	17	19	189
Black, not Hispanic	*	*	*	*	*	22
Hispanic	*	*	*	*	*	8
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	14	16	16	21	22	219

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	13	10	13	13	14	153
White, not Hispanic: Female	0	*	*	*	*	36
Black, not Hispanic: Male	*	*	0	*	*	15
Black, not Hispanic: Female	*	0	*	*	0	7
Hispanic: Male	0	*	*	*	0	5
Hispanic: Female	0	0	0	0	*	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	14	16	16	21	22	219

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	*	*	0	4
13-14	0	0	0	0	0	0
15-24	*	0	*	*	*	33
25-34	*	8	7	6	*	86
35-44	8	*	*	8	6	66
45-54	0	*	*	*	7	23
55-64	*	0	0	0	*	7
>=65	0	0	0	0	0	0
Total	14	16	16	21	22	219

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	8	9	10	9	13	124
Injection drug use (IDU)	*	*	*	*	*	22
Male-to-male sex and IDU	0	*	*	*	0	10
Heterosexual contact	*	*	0	*	*	34
Mother with/at risk for HIV	0	0	0	*	0	3
Other/unknown	*	0	*	*	*	26
Total	14	16	16	21	22	219

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	9	*	*	*	24	381
Females	6	*	*	*	12	66
Total	15	25	20	26	36	447

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	16	23	25	383
Black, not Hispanic	*	*	*	*	8	52
Hispanic	0	0	*	*	*	11
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	15	25	20	26	36	447

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity: Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	22	13	19	15	325
White, not Hispanic: Female	*	*	*	*	10	58
Black, not Hispanic: Male	*	*	*	*	6	44
Black, not Hispanic: Female	*	0	0	*	*	8
Hispanic: Male	0	0	*	*	*	11
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	15	25	20	26	36	447

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	0
15-24	*	0	*	*	*	17
25-34	*	*	*	5	9	157
35-44	*	10	11	16	15	173
45-54	*	6	*	*	6	68
55-64	*	*	*	*	*	24
>=65	0	0	0	0	*	2
Total	15	25	20	26	36	447

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	5	15	13	10	13	247
Injection drug use (IDU)	*	*	*	10	*	59
Male-to-male sex and IDU	0	*	*	*	*	18
Heterosexual contact	5	*	*	*	10	62
Mother with/at risk for HIV	0	0	0	0	0	5
Other/unknown	*	5	*	0	11	56
Total	15	25	20	26	36	447

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	263	280	295	320	341
Females	54	58	57	64	76
Total	317	338	352	384	417

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	276	297	310	334	359
Black, not Hispanic	31	30	31	37	44
Hispanic	*	*	*	*	14
Asian/Pacific Islander	*	*	*	*	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
Total	317	338	352	384	417

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	231	248	262	281	297
White, not Hispanic: Female	45	49	48	53	62
Black, not Hispanic: Male	24	23	24	28	33
Black, not Hispanic: Female	7	7	7	9	11
Hispanic: Male	7	8	8	10	11
Hispanic: Female	*	*	*	*	*
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0
Total	317	338	352	384	417

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	0	0	0	0	0
15-24	*	*	*	*	7
25-34	42	46	57	67	76
35-44	148	157	162	177	187
45-54	84	93	93	98	106
55-64	31	31	27	28	30
>=65	6	5	5	*	*
Total	317	338	352	384	417

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	176	192	201	210	228
Injection drug use (IDU)	37	39	39	47	48
Male-to-male sex and IDU	11	11	13	16	15
Heterosexual contact	53	55	54	59	64
Mother with/at risk for HIV	5	5	5	6	6
Other/unknown	35	36	40	46	56
Total	317	338	352	384	417

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	*	213
Females	0	*	*	*	*	36
Total	*	12	20	10	14	249

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	16	10	*	213
Black, not Hispanic	*	*	*	0	0	30
Hispanic	0	0	*	0	*	5
Asian/Pacific Islander	0	0	0	0	*	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	*	12	20	10	14	249

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and race/ethnicity:sex

Race/ethnicity: Sex	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	8	12	*	8	181
White, not Hispanic: Female	0	*	*	*	*	32
Black, not Hispanic: Male	*	*	*	0	0	26
Black, not Hispanic: Female	0	0	*	0	0	4
Hispanic: Male	0	0	*	0	*	5
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	*	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	*	12	20	10	14	249

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	4
25-34	0	*	*	*	*	78
35-44	*	5	10	*	5	94
45-54	0	*	*	*	*	49
55-64	*	*	*	0	*	17
>=65	0	*	0	*	0	4
Total	*	12	20	10	14	249

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and exposure category

Exposure category	2001	2002	2003	2004	2005	Cumulative deaths through 2005
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	11	6	6	143
Injection drug use (IDU)	0	*	*	*	*	33
Male-to-male sex and IDU	0	*	*	0	*	13
Heterosexual contact	0	*	*	*	*	32
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	*	*	*	26
Total	*	12	20	10	14	249

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.